

THIRTIES

- Marble inspired • Color body, rectified • Full-bodied glazed porcelain
- Residential + commercial walls, floors, backsplashes • Made in USA

PURE BLACK

30"x 30"
Polished
Honed



PURE WHITE

30"x 30"
Polished
Honed



CALACATTA ORO

30"x 30"
Polished ☒
Honed ☒



STATUARIETTO

30"x 30"
Polished
Honed



☒ In Stock Regional Distribution Center

Images are for reference only; please refer to live product for an accurate color representation.


ROBERT E. HENRY
TILE COMPANY
EST. 1933

THIRTIES



Images are for reference only; please refer to live product for an accurate color representation.

THIRTIES



Images are for reference only; please refer to live product for an accurate color representation.

ROBERT E. HENRY
TILE COMPANY
EST. 1933

THE THIRTIES

TECHNICAL SPECIFICATIONS

ACTUAL SIZES
30"x30" ~ 29 1/2"x29 1/2" (± 0.5 mm)

PHYSICAL PROPERTIES	ASTM TEST	INDUSTRY STANDARDS	STONEPEAK RESULTS
Water Absorption	C373	Impervious < 0.5%	≤ 0.1%
Thickness Dimension	C499	Range ± 0.04 Inc. Max	≤ ± 0.04 Inc.
Facial Dimension	C499	± 0.25%	≤ ± 0.25%
Wedging Average	C502	± 0.25%	≤ ± 0.25%
Bond Strength	C482	≥ 50 psi	≥ 200 psi
Breaking Strength	C648	≥ 250 lb	≥ 400 lb
Hardness (Mohs)	Scratch Test (Not regulated)	Range 0 -10	≥ 7
Visible Abrasion Resistance for Glazed Tiles	C1027	No Requirement Range 0 – 5	Class 4
Frost Resistance	C1026	No samples must show alterations to surface	No Evidence of Damage
Robinson Test	AC627	As reported	Extra Heavy
Chemical Resistance	C650	No Requirement Range E – A	Class A
Stain Resistance	C1378	No Requirement Range E – A	Class A*
DCOF	BOT 3000	≥ 0.42*	≥ 0.42*
Aesthetic Class/Shade Rating	Visual Evaluation Shade & Texture	No Requirement Range V0 – V4	V2