

MÉLANGE

Mélange is a collection of mixed materials with design influences from Morocco, Italy, Spain and France. The combination of zellige, limestone, marble and terracotta tiles creates a blend of these Mediterranean cultures. Crafted, cut, and mounted by hand.

- Mix of zellige + limestone + marble + terracotta
- Mosaics mesh mounted avail • Trim avail
- Seven patterns, three shapes, six colors
- Walls, backsplash, shower, fireplace surround
- Residential + light commercial
- All sizes noted are nominal

MÉLANGE PATTERNS

CARTHAGE MOSAIC 1"x 3"



OSTIA MOSAIC 1" x 4", 2 3/4" x 2 3/4"



PALERMO MOSAIC 1" x 4", 2" x 2"



PROVENCE MOSAIC 2" x 2"




SEVILLA MOSAIC 1" x 4"



TANGIER MOSAIC 12" x 12" SHEET



HERRINGBONE 1 1/2" x 10"



Images are for reference only; please refer to live product for an accurate color representation.
All sizes noted are nominal.



MÉLANGE

MÉLANGE LIMESTONE SHAPES

PICKET 4" x 10"



3" x 10" FIELD



4" x 4" FIELD



TRIM 1/2" x 5" - Terracotta + Zellige



Blanco Puro



Latte



Berber



Blonde Cotto



Rouge Cotto



Peltro

TRIM 1/2" x 5" - Stone in three colors



Luberon Limestone



Gris Limestone



Noir Marble

Images are for reference only; please refer to live product for an accurate color representation.
All sizes noted are nominal.



MÉLANGE

CARTHAGE MOSAIC 1" x 3"



Carthage Latte



Carthage Berber



Carthage Sable

OSTIA MOSAIC 1" x 4", 2 3/4" x 2 3/4"



Ostia Latte



Ostia Berber



Ostia Blanc Gris


PALERMO MOSAIC 1" x 4", 2" x 2"



Palermo Latte



Palermo Sand



Palermo Berber

Images are for reference only; please refer to live product for an accurate color representation.
All sizes noted are nominal.



MÉLANGE

PROVENCE MOSAIC 2"x 2"



Provence Latte



Provence Blanc Gris



Provence Jaune Noir

SEVILLA MOSAIC 1"x 4"



Provence Latte




Provence Blanc Gris



Provence Noir Rouge

TANGIER MOSAIC - 12"x 12" SHEET



Tangier Latte



Tangier Berber



Tangier Blanc Gris

Images are for reference only; please refer to live product for an accurate color representation.
All sizes noted are nominal.




MÉLANGE


HERRINGBONE 1 ½" x 10" - STONE



Herringbone Luberon Limestone



Herringbone Gris Limestone



Herringbone Noir Marble


PICKET 4" x 10" - STONE



Picket Luberon Limestone



Picket Gris Limestone




Picket Noir Marble

FIELD 3" x 10" - STONE



3x10 Luberon Limestone



3x10 Gris Limestone



3x10 Noir Marble

Images are for reference only; please refer to actual product for an accurate color representation.
All sizes noted are nominal.



MÉLANGE


FIELD 4" x 4" - STONE



4x4 Luberon Limestone



4x4 Gris Limestone




4x4 Noir Marble


FIELD 4" x 4" - TERRACOTTA + ZELLIGE



Terracotta Zellige Blanco Puro



Terracotta Zellige Latte



Terracotta Zellige Berber



Terracotta Zellige Peltro



Terracotta Zellige Blonde Cotto



Terracotta Zellige Rouge Cotto

Images are for reference only; please refer to actual product for an accurate color representation.
All sizes noted are nominal.



MÉLANGE



Images are for reference only; please refer to actual product for an accurate color representation.
All sizes noted are nominal.



MÉLANGE



Images are for reference only; please refer to actual product for an accurate color representation.
All sizes noted are nominal.



MÉLANGE

Material & Usage Summary

Material					Wall Application					Floor Application				
Pattern	Color	Stone	Terracotta	Zellige	Interior Wall/ Backsplash	Steam Shower	Shower Floor	Shower Wall	Exterior Wall	Light Residential	Residential	Light Commercial	Medium Commercial	More Info On Page #
FIELD														
3" x 10"	Gris	•			•			•	•	•	•	•	•	19
3" x 10"	Luberon	•			•			•	•	•	•	•	•	19
3" x 10"	Noir	•			•			•	•	•	•	•	•	19
Herringbone	Gris	•			•			•	•	•	•	•	•	19
Herringbone	Luberon	•			•			•	•	•	•	•	•	19
Herringbone	Noir	•			•			•	•	•	•	•	•	19
Picket 4" x 10"	Gris	•			•			•	•	•	•	•	•	19
Picket 4" x 10"	Luberon	•			•			•	•	•	•	•	•	19
Picket 4" x 10"	Noir	•			•			•	•	•	•	•	•	19
4" x 4" Field	Berber			•	•			•	•	•				20
4" x 4" Field	Blanco Puro			•	•			•	•	•				20
4" x 4" Field	Blonde Cotto		•		•			•	•	•	•			20
4" x 4" Field	Gris	•			•			•	•	•	•	•	•	19
4" x 4" Field	Latte			•	•			•	•	•				20
4" x 4" Field	Luberon	•			•			•	•	•	•	•	•	19
4" x 4" Field	Noir	•			•			•	•	•	•	•	•	19
4" x 4" Field	Peltro			•	•			•	•	•				20
4" x 4" Field	Rouge Cotto		•		•			•	•	•	•			20
TRIM														
Trim	Berber			•	•			•	•					20
Trim	Blanco Puro			•	•			•	•					20
Trim	Blonde Cotto		•		•			•	•					20
Trim	Gris	•			•			•	•					19
Trim	Latte			•	•			•	•					20
Trim	Luberon	•			•			•	•					19
Trim	Noir	•			•			•	•					19
Trim	Peltro			•	•			•	•					20
Trim	Rouge Cotto		•		•			•	•					20
MOSAICS (With Multiple Materials)														
Carthage	Berber	•	•		•			•	•	•	•	•		21
Carthage	Latte	•	•	•	•			•	•	•	•	•		21
Carthage	Sable	•		•	•			•	•	•	•	•		21
Ostia	Berber	•	•		•			•	•	•	•	•		21
Ostia	Blanc Gris	•		•	•			•	•	•	•	•		21
Ostia	Latte	•	•	•	•			•	•	•	•	•		21
Palermo	Berber	•	•		•			•	•	•	•	•		21
Palermo	Latte	•		•	•			•	•	•	•	•		21
Palermo	Sand		•	•	•			•	•	•	•	•		21
Provence	Blanc Gris	•		•	•			•	•	•	•	•		21
Provence	Jaune Noir	•	•		•			•	•	•	•	•		21
Provence	Latte	•		•	•			•	•	•	•	•		21
Sevilla	Blanc Gris	•		•	•			•	•	•	•	•		21
Sevilla	Latte	•		•	•			•	•	•	•	•		21
Sevilla	Noir Rouge	•	•		•			•	•	•	•	•		21
Tangier	Berber	•	•	•	•			•	•	•	•	•		21
Tangier	Blanc Gris	•		•	•			•	•	•	•	•		21
Tangier	Latte	•	•	•	•			•	•	•	•	•		21

MÉLANGE

Variation, Usage & Technical Information - Natural Stone

Variation

Mélange Natural Stone tiles are products of nature and no two tiles will look exactly alike. Please accept the following characteristics, which are intended and part of the product's appeal.

- Variation in color
- Variation in veining
- Appearance of fossils and other inclusions
- Variation in movement of color and grain size
- Slight variation in surface finish

Variation between samples and tiles received is possible, as handmade techniques of glazing make shade and color variation an inherent part of the product. Samples received before shipments should be considered indicative of color only. Driftwood Design Lab will not honor any claims made for these characteristics listed above if claimed as defects.

Mélange Limestone + Marble Tile - Recommended Usage		
Wall Application	Suitable	
Interior Wall/Backsplash	Yes*	
Fireplace/Cooktop Surround	Yes**	
Shower Wall	Yes*	
Steam Shower	No	
Exterior Wall	Yes***	
Pool, Spa or Water Feature (fully submerged)	No	
Floor Application	Interior	Exterior
Shower	No	No
Residential	Yes	Yes*,***
Light Commercial	Yes	Yes*,***
Medium Commercial	Yes	Yes*,***
Application Notes	Floor Application Definitions	
<p>* With proper sealing and maintenance per setting material and sealer manufacturer recommendations.</p> <p>** Acceptable for limited and sporadic exposure near open flame or heat source, including fireplace wall/cooktop surround. It is not recommended for placement inside a firebox.</p> <p>*** ONLY acceptable in non-freeze thaw climates unless otherwise stated by setting material and sealer manufacturer in writing.</p>	<p>Light Residential - For residential areas with light foot traffic. It can include a bathroom, bedroom, formal dining, and living room. Please note the following: suitable for soft soled shoes, hard soled shoes and heels should be avoided. The floor must be kept clean from abrasive debris (gravel, mud, salt, etc.) Immediately clean all stains.</p> <p>Residential - For residential areas with continuous foot traffic. It can include entry, hallway, kitchen, foyer, laundry, and mud rooms. Please note the following: the floor must be kept clean from abrasive debris (sand, gravel, mud, salt, etc.) Immediately clean all stains.</p> <p>Light Commercial - For commercial areas with light foot traffic. It can include commercial offices, doctor's offices, and boutiques. Please note the following: The floor must be kept clean from abrasive debris (sand, gravel, mud, salt, etc.) Immediately clean all stains.</p>	
Notes		
<p>Since variations are common in natural stone tile, we recommend final selection be made from an actual tile mock-up. To achieve optimal results in shading, layout and design, tile should be randomly selected from multiple boxes during installation. We recommend a minimum of 10% overage on all orders. Installation constitutes acceptance. We advise retaining control samples to aid in color matching if additional material is required (match not guaranteed).</p> <p>MAINTENANCE - Please see Laticrete MCI-118, routine cleaning can be done with light duty, diluted close to neutral pH detergent cleaner or any non-abrasive cleaning solutions.</p>		

Mélange Installation Guidelines include important methods that if not followed may result in an unsatisfactory installation. For installation instructions, please visit: DriftwoodDesignLab.com



MÉLANGE

Variation, Usage & Technical Information - Terracotta Field/Zellige Field

Variation

Terracotta and Zellige tiles are made entirely by hand, and each piece/sheet will show variation in color and texture. The following characteristics are intended in this product and are part of its overall aesthetic.

- Chips off the surface of the tile, exposing clay underneath
- Uneven edging of the tile
- Wide variation in color and shade
- Lime pops that expose the substrate
- Thickness variation
- Size variation from piece to piece

Variation between samples and tiles received is possible, as handmade techniques of glazing make shade and color variation an inherent part of the product. Samples received before shipments should be considered indicative of color only. Driftwood Design Lab will not honor any claims made for these characteristics listed above if claimed as defects.

Mélange Cotto Tile (Rouge and Blonde) + Zellige Tile - Recommended Usage		
Wall Application	Suitable	
Interior Wall/Backsplash	Yes*	
Fireplace/Cooktop Surround	Yes**	
Shower Wall***	Yes*	
Steam Shower	No	
Exterior Wall	Yes***	
Pool, Spa or Water Feature (fully submerged)	No	
Floor Application	Interior	Exterior
Shower	No	No
Light Residential	Yes	Yes*,***
Residential (Cotto only, not Zellige)	Yes	Yes*,***
Light Commercial (Cotto only, not Zellige)	Yes	Yes*,***
Application Notes	Floor Application Definitions	
<p>* With proper sealing and maintenance per setting material and sealer manufacturer recommendations.</p> <p>** Acceptable for limited and sporadic exposure near open flame or heat source, including fireplace wall/cooktop surround. It is not recommended for placement inside a firebox.</p> <p>*** ONLY acceptable in non-freeze thaw climates unless otherwise stated by setting material and sealer manufacturer in writing.</p> <p><i>Outdoor Residential Floors - Note: when used for an exterior floor Cotto + Zellige will develop a natural patina over time and is to be expected. Chipping, cracking and increased wear are natural when placed in an exterior environment.</i></p>	<p>Light Residential - For residential areas with light foot traffic. It can include a bathroom, bedroom, formal dining, and living room. Please note the following: suitable for soft soled shoes, hard soled shoes and heels should be avoided. The floor must be kept clean from abrasive debris (gravel, mud, salt, etc.) Immediately clean all stains.</p> <p>Residential - For residential areas with continuous foot traffic. It can include entry, hallway, kitchen, foyer, laundry, and mud rooms. Please note the following: the floor must be kept clean from abrasive debris (sand, gravel, mud, salt, etc.) Immediately clean all stains.</p> <p>Light Commercial - For commercial areas with light foot traffic. It can include commercial offices, doctor's offices, and boutiques. Please note the following: The floor must be kept clean from abrasive debris (sand, gravel, mud, salt, etc.) Immediately clean all stains.</p>	
Notes		
<p>Since variations are common in handmade terracotta + Zellige tile, we recommend final selection be made from an actual tile mock-up. To achieve optimal results in shading, layout and design, tile should be randomly selected from multiple boxes during installation. We recommend a minimum of 10% overage on all orders. Installation constitutes acceptance. We advise retaining control samples to aid in color matching if additional material is required (match not guaranteed).</p> <p>MAINTENANCE - Please see Laticrete MCI-118, routine cleaning can be done with light duty, diluted close to neutral pH detergent cleaner or any non-abrasive cleaning solutions.</p>		

Mélange Installation Guidelines include important methods that if not followed may result in an unsatisfactory installation. For installation instructions, please visit: DriftwoodDesignLab.com



MÉLANGE

Variation, Usage & Technical Information - Mixed Material Mosaics

Variation

Mélange Mosaic tiles are made entirely by hand from Natural Stone, Terracotta and Zellige. Each piece/sheet will show variation in color and texture. The following characteristics are intended in this product and are part of its overall aesthetic.

- Chips off the surface of the tile, exposing clay underneath
- Uneven edging of the tile
- Wide variation in color and shade
- Lime pops that expose the substrate
- Thickness variation
- Size variation from piece to piece

Variation between samples and tiles received is possible, as handmade techniques of glazing make shade and color variation an inherent part of the product. Samples received before shipments should be considered indicative of color only. Driftwood Design Lab will not honor any claims made for these characteristics listed above if claimed as defects.

Mélange Mosaics - Recommended Usage		
Wall Application	Suitable	
Interior Wall/Backsplash	Yes*	
Fireplace/Cooktop Surround	Yes**	
Shower Wall	Yes*	
Steam Shower	No	
Exterior Wall	Yes***	
Pool, Spa or Water Feature (fully submerged)	No	
Floor Application	Interior	Exterior
Shower	No	No
Light Residential	Yes	Yes*,***
Residential	Yes	Yes*,***
Light Commercial	Yes	Yes*,***
Application Notes	Floor Application Definitions	
<p>* With proper sealing and maintenance per setting material and sealer manufacturer recommendations.</p> <p>** Acceptable for limited and sporadic exposure near open flame or heat source, including fireplace wall/cooktop surround. It is not recommended for placement inside a firebox.</p> <p>*** ONLY acceptable in non-freeze thaw climates unless otherwise stated by setting material and sealer manufacturer in writing.</p> <p><i>Outdoor Residential Floors - Note: when used for an exterior floor Mélange Mosaics will develop a natural patina over time and is to be expected. Chipping, cracking and increased wear are natural when placed in an exterior environment.</i></p>	<p>Light Residential - For residential areas with light foot traffic. It can include a bathroom, bedroom, formal dining, and living room. Please note the following: suitable for soft soled shoes, hard soled shoes and heels should be avoided. The floor must be kept clean from abrasive debris (gravel, mud, salt, etc.) Immediately clean all stains.</p> <p>Residential - For residential areas with continuous foot traffic. It can include entry, hallway, kitchen, foyer, laundry, and mud rooms. Please note the following: the floor must be kept clean from abrasive debris (sand, gravel, mud, salt, etc.) Immediately clean all stains.</p> <p>Light Commercial - For commercial areas with light foot traffic. It can include commercial offices, doctor's offices, and boutiques. Please note the following: The floor must be kept clean from abrasive debris (sand, gravel, mud, salt, etc.) Immediately clean all stains.</p>	
Notes		
<p>Since variations are common in handmade mosaic tiles, we recommend final selection be made from an actual tile mock-up. To achieve optimal results in shading, layout and design, tile should be randomly selected from multiple boxes during installation. We recommend a minimum of 10% overage on all orders. Installation constitutes acceptance. We advise retaining control samples to aid in color matching if additional material is required (match not guaranteed).</p> <p>MAINTENANCE - Please see Laticrete MCI-118, routine cleaning can be done with light duty, diluted close to neutral pH detergent cleaner or any non-abrasive cleaning solutions.</p>		

Mélange Installation Guidelines include important methods that if not followed may result in an unsatisfactory installation. For installation instructions, please visit: DriftwoodDesignLab.com

