



# CLASSIC BOUTIQUE


- Marble inspired
- Five Colors
- Walls, floors, backsplash, shower walls
- Polished + natural finishes
- Made in USA



9”x 15” Mos Basketweave



11.5”Mos Arch


2”x 2” Mos


3”x 24” BN


12”x 12”


12”x 24”


24”x 24”


24”x 48”

## DELICATO BIANCO

**12” x 12”** Pol Nat ☑
**12” x 24”** Pol Nat ☑
**2” x 2”** Nat
**11.5” Arch Mos** Pol
**11.5” Arch Mos** Pol
**9” x 15” Basket Mos** Pol
**3” x 24”** Pol Nat
**24” x 24”** Pol Nat
**24” x 48”** Pol Nat






## CALACATTA BLUETTE

**12” x 12”** Pol Nat ☑
**12” x 24”** Pol Nat ☑
**2” x 2”** Nat
**11.5” Arch Mos** Pol
**11.5” Arch Mos** Pol
**9” x 15” Basket Mos** Pol
**3” x 24”** Pol Nat
**24” x 24”** Pol Nat
**24” x 48”** Pol Nat






☑ In stock

Images are for reference only; please refer to live product for an accurate color representation.


BELLA CERAMIC

# CLASSIC BOUTIQUE

**BOTTICINO BEIGE**
**12” x 12”** Pol Nat ☑
**12” x 24”** Pol Nat ☑
**2” x 2”** Nat
**11.5” Arch Mos** Pol
**11.5” Arch Mos** Pol
**9” x 15” Basket Mos** Pol
**3” x 24”** Pol Nat
**24” x 24”** Pol Nat
**24” x 48”** Pol Nat



**REGALIA NERO**
**12” x 12”** Pol Nat ☑
**2” x 2”** Nat
**11.5” Arch Mos** Pol
**11.5” Arch Mos** Pol
**9” x 15” Basket Mos** Pol
**12” x 24”** Pol Nat
**3” x 24”** Pol Nat
**24” x 24”** Pol Nat
**24” x 48”** Pol Nat



**ALPINE VERDE**
**2” x 2”** Nat
**12” x 12”** Pol Nat
**12” x 24”** Pol Nat
**11.5” Arch Mos** Pol
**11.5” Arch Mos** Pol
**9” x 15” Basket Mos** Pol
**3” x 24”** Pol Nat
**24” x 24”** Pol Nat
**24” x 48”** Pol Nat



Images are for reference only; please refer to live product for an accurate color representation.

BELLA CERAMIC

# CLASSIC BOUTIQUE





Images are for reference only; please refer to live product for an accurate color representation.

BELLA
CERAMIC

# CLASSIC BOUTIQUE







Images are for reference only; please refer to live product for an accurate color representation.

BELLA
CERAMIC

# CLASSIC BOUTIQUE








Images are for reference only; please refer to live product for an accurate color representation.

BELLA
CERAMIC

# CLASSIC BOUTIQUE







Images are for reference only; please refer to live product for an accurate color representation.

BELLA
CERAMIC

# CLASSIC BOUTIQUE

PORCELAIN TILE

**UNGLAZED / GLAZED**

Glazed

**THICKNESS**

8mm

**FINISHES**

Natural | Polished

**SIZES**

24"x48" | 24"x24" | 12"x24" | 12"x12"

**COLORS**

Delicato Bianco | Calacatta Bluette | Botticino Beige | Alpine Verde | Regalia Nero

Scan for more product details.

| Nominal Size (in) | Actual (in) | Nominal Size (mm) | Actual (mm) | Rectified |
|---|---|---|---|---|
| 24" x 48" | 23.70" x 47.40" | 600 x 1200mm | 602 x 1204mm | Yes |
| 24" x 24" | 23.70" x 23.70" | 600 x 600mm | 602 x 602mm | Yes |
| 12" x 24" | 11.73" x 23.70" | 300 x 600mm | 298 x 602mm | Yes |
| 12" x 12" | 11.73" x 11.73" | 300 x 300mm | 298 x 298mm | Yes |

## PERFORMANCE

| | PROPERTY | NORMS | STANDARD | STONEPEAK RESULT [1] |
|---|---|---|---|---|
| SLIP RESISTANCE | SLIP RESISTANCE: DCOF (DRY) | ANSI A 326.3 - 2021 | ≥0.42 Dry | ≥0.42 Interior Dry (ID) Polished [4] |
| | SLIP RESISTANCE: DCOF (WET) | ANSI A 326.3 - 2021 | ≥0.42 Wet | ≥0.42 Interior Wet (IW) Natural [4] |
| PHYSICAL PROPERTIES | WATER ABSORPTION | ASTM C 373 - 18 | Impervious ≤0.5% | **≤0.5%** |
| | BOND STRENGTH | ASTM C 482 - 20 | ≥ 50 psi | ≥ **50 psi** |
| | BREAKING STRENGTH | ASTM C 648 - 20 | ≥ 275 lbf | **≥ 275 lbf** |
| | HARDNESS (MOHS) | ASTM C 1895 - 20 | Range 0 - 10 | ≥ **7** [2] |
| | VISUAL EVALUATION | VISUAL VALUATION SHADE & TEXTURE | Range V1 - V4 | **V2** |
| | ABRASION RESISTANCE | ASTM C1027-19 | Class 1 - Class 4 | Class 1: Residential Bathrooms — Regalia Nero<br>Class 2: All Residential Areas — Alpine Verde<br>Class 3: All Residential & Light Commercial — Delicato Bianco, Calacatta Bluette<br>Class 4: All Residential & Commercial — Botticino Beige |
| CHEMICAL PROPERTIES | CHEMICAL RESISTANCE | ASTM C 650 - 20 | Range A / E | **Class A** [3] |
| | STAIN RESISTANCE | ASTM C 1378 - 20 | Range A / E | **Class A** [3] |
| | FROST RESISTANCE | ASTM C 1026 - 13 (2018) | No sample must show alterations to surface | **No evidence of damage** |
| | FIRE RESISTANCE | ASTM E84 | Class A | **Class A1-A1FL** |
| TECHNICAL FEATURES | THICKNESS VARIATION | ASTM C 499 - 20 | ± 0.02 inch | **± 0.02 inch** |
| | FACIAL DIMENSION | ASTM C 499 - 20 | ± 0.25 % | **± 0.25 %** |
| | WEDGING | ASTM C 502 - 16 | ± 0.25 % | **± 0.25 %** |
| | WARPAGE AVERAGE DIAGONAL | ASTM C 485 - 16 | ± 0.40 % | ± **0.40** % |
| | WARPAGE AVERAGE EDGE | ASTM C 485 - 16 | ± 0.40 % | ± **0.40** % |

**The material meets compliance with the requirements of America standards ANSI A 137.1: June 2021, ANSI A326.3- 2021 and ASTM Section 15 Volume 15.02.**

(1) All values given are for textured/natural/structured finish. Values for different finishes are available upon request.
(2) Mohs result referring to textured/natural finish. For polished/semi-polished/silky finish: ≥ 6.
(3) Chemical and stain resistance refer to textured/natural finish. For polished/silky finish tests are provided on request. For more detailed information, refer to ANSI A137.1 Specifications for Ceramic Tile.
(4) DCOF results referring to textured/natural/structured products are performed with the WET test, while for polished, semi-polished and silky the DCOF test is performed DRY.
(4) The DCOF values shown in the catalog, website, or other sales documents are for reference only and are non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, always prior to installation.
(4) All values given are for textured/natural/structured finish. Values for different finishes are available upon request.

**Product Certifications and Validations**

**Organizational Memberships**

**Rev.1, issued 01/01/2026**

**www.stonepeakceramics.com**


BELLA CERAMIC

# CLASSIC BOUTIQUE


## Technical Features: Visual Evaluation Shade & Texture

### Visual Evaluation

V1



V2



V3



V4




TCNA rates tile color and texture variation on a scale up to V4, with V4 indicating the highest variation.

**This porcelain tile is rated V2, meaning moderate variation in tone, primarily consistent with slight differences between tiles.**

### Recommended Grout Joint

Recommended grout joint is 3/16" or greater.

Grout joints of 1/8" inch or less, especially with larger format tiles or running bond patterns, may require floor flatness values in excess of the 1/4" in 10' (or 1/16" in 1.0') standard required by ANSI.



For patterns with running bond/brick joints, Stonepeak recommends a maximum of 33% offset.

## Technical Features: Recommended Use

Visible Abrasion Resistance ratings are based on ASTM C1027-19 testing, which measures surface wear under abrasive load, combined with our manufacturer-declared results.

| Class 1 | Class 2 | Class 3 | Class 4 |
|---|---|---|---|
| Residential Bathrooms | All Residential Areas | All Residential / Light Commerical | All Residential / Commerical |
| Regalia Nero | Alpine Verde | Delicato Bianco, Calacatta Bluette | Botticino Beige |

## Technical Features: DCOF - Wet Test

| Norm | Standard | Stonepeak Result [4] |
|---|---|---|
| ANSI A 326.3 - 2021 | ≥0.42 | ≥0.42 + Polished |

## Product Use Recommendation

| Finish | Classification | Criteria |
|---|---|---|
| Natural, Polished | Interior Dry (ID) | ≥ 0.42 dry DCOF |
| Natural | Interior Wet (IW) | ≥ 0.42 wet DCOF |

More information can be found at: (https://tcnatile.com/resource-center/dynamic-coefficient-of-friction/)

BELLA CERAMIC