



CLASSIC BOUTIQUE


- Marble inspired • Five Colors
- Walls, floors, backsplash, shower walls
- Polished + natural finishes • Made in USA



9"x 15" Mos
Basketweave




11.5" Mos Arch



2"x 2" Mos



12"x 12"



12"x 24"



24"x 24"



24"x 48"



3"x 24" BN

DELICATO BIANCO

12" x 12" Pol Nat ☒

12" x 24" Pol Nat ☒

2" x 2" Nat

11.5" Arch Mos Pol



11.5" Arch Mos Pol

9" x 15" Basket Mos Pol

3" x 24" Pol Nat

24" x 24" Pol Nat

24" x 48" Pol Nat



CALACATTA BLUETTE

12" x 12" Pol Nat ☒

12" x 24" Pol Nat ☒

2" x 2" Nat

11.5" Arch Mos Pol

11.5" Arch Mos Pol

9" x 15" Basket Mos Pol

3" x 24" Pol Nat

24" x 24" Pol Nat

24" x 48" Pol Nat



☒ In stock

Images are for reference only; please refer to live product for an accurate color representation.

ROBERT E. HENRY
TILE COMPANY
EST. 1933

CLASSIC BOUTIQUE

BOTTICINO BEIGE

12" x 12" Pol Nat ☒

12" x 24" Pol Nat ☒

2" x 2" Nat

11.5" Arch Mos Pol

11.5" Arch Mos Pol

9" x 15" Basket Mos Pol

3" x 24" Pol Nat

24" x 24" Pol Nat

24" x 48" Pol Nat



REGALIA NERO

12" x 12" Pol Nat ☒

2" x 2" Nat

11.5" Arch Mos Pol

11.5" Arch Mos Pol

9" x 15" Basket Mos Pol

12" x 24" Pol Nat

3" x 24" Pol Nat

24" x 24" Pol Nat

24" x 48" Pol Nat



ALPINE VERDE

2" x 2" Nat

12" x 12" Pol Nat

12" x 24" Pol Nat

11.5" Arch Mos Pol

11.5" Arch Mos Pol

9" x 15" Basket Mos Pol

3" x 24" Pol Nat

24" x 24" Pol Nat

24" x 48" Pol Nat



Images are for reference only; please refer to live product for an accurate color representation.

CLASSIC BOUTIQUE



Images are for reference only; please refer to live product for an accurate color representation.

ROBERT E. HENRY
TILE COMPANY
EST. 1933

CLASSIC BOUTIQUE



Images are for reference only; please refer to live product for an accurate color representation.

CLASSIC BOUTIQUE



Images are for reference only; please refer to live product for an accurate color representation.

CLASSIC BOUTIQUE



Images are for reference only; please refer to live product for an accurate color representation.

CLASSIC BOUTIQUE

PORCELAIN TILE

UNGLAZED / GLAZED

Glazed

THICKNESS

8mm

FINISHES

Natural | Polished

SIZES

24"x48" | 24"x24" | 12"x24" | 12"x12"

COLORS

Delicato Bianco | Calacatta Bluette |
Botticino Beige | Alpine Verde | Regalia Nero



Scan for more product details.



Nominal Size (in)	Actual (in)	Nominal Size (mm)	Actual (mm)	Rectified
24" x 48"	23.70" x 47.40"	600 x 1200mm	602 x 1204mm	Yes
24" x 24"	23.70" x 23.70"	600 x 600mm	602 x 602mm	Yes
12" x 24"	11.73" x 23.70"	300 x 600mm	298 x 602mm	Yes
12" x 12"	11.73" x 11.73"	300 x 300mm	298 x 298mm	Yes

PERFORMANCE

PERFORMANCE		PROPERTY	NORMS	STANDARD	STONEPEAK RESULT ⁽¹⁾									
SLIP RESISTANCE		SLIP RESISTANCE: DCOF (DRY)	ANSI A 326.3 - 2021	≥0.42 Dry	≥0.42 Interior Dry (ID) Polished ⁽⁴⁾									
		SLIP RESISTANCE: DCOF (WET)	ANSI A 326.3 - 2021	≥0.42 Wet	≥0.42 Interior Wet (IW) Natural ⁽⁴⁾									
PHYSICAL PROPERTIES		WATER ABSORPTION	ASTM C 373 - 18	Impervious ≤0.5%	≤0.5%									
		BOND STRENGTH	ASTM C 482 - 20	≥ 50 psi	≥ 50 psi									
		BREAKING STRENGTH	ASTM C 648 - 20	≥ 275 lbf	≥ 275 lbf									
		HARDNESS (MOHS)	ASTM C 1895 - 20	Range 0 - 10	≥ 7 ⁽²⁾									
		VISUAL EVALUATION	VISUAL VALUATION SHADE & TEXTURE	Range V1 - V4	V2									
		ABRASION RESISTANCE	ASTM C1027-19	Class 1 - Class 4	<table><tr><td>Class 1: Residential Bathrooms</td><td>Regalia Nero</td></tr><tr><td>Class 2: All Residential Areas</td><td>Alpine Verde</td></tr><tr><td>Class 3: All Residential & Light Commercial</td><td>Delicato Bianco, Calacatta Bluette</td></tr><tr><td>Class 4: All Residential & Commercial</td><td>Botticino Beige</td></tr></table>		Class 1: Residential Bathrooms	Regalia Nero	Class 2: All Residential Areas	Alpine Verde	Class 3: All Residential & Light Commercial	Delicato Bianco, Calacatta Bluette	Class 4: All Residential & Commercial	Botticino Beige
		Class 1: Residential Bathrooms	Regalia Nero											
Class 2: All Residential Areas		Alpine Verde												
Class 3: All Residential & Light Commercial	Delicato Bianco, Calacatta Bluette													
Class 4: All Residential & Commercial	Botticino Beige													
CHEMICAL PROPERTIES		CHEMICAL RESISTANCE	ASTM C 650 - 20	Range A / E	Class A ⁽³⁾									
		STAIN RESISTANCE	ASTM C 1378 - 20	Range A / E	Class A ⁽³⁾									
		FROST RESISTANCE	ASTM C 1026 - 13 (2018)	No sample must show alterations to surface	No evidence of damage									
		FIRE RESISTANCE	ASTM E84	Class A	Class A1-A1FL									
TECHNICAL FEATURES		THICKNESS VARIATION	ASTM C 499 - 20	± 0.02 inch	± 0.02 inch									
		FACIAL DIMENSION	ASTM C 499 - 20	± 0.25 %	± 0.25 %									
		WEDGING	ASTM C 502 - 16	± 0.25 %	± 0.25 %									
		WARPAGE AVERAGE DIAGONAL	ASTM C 485 - 16	± 0.40 %	± 0.40 %									
		WARPAGE AVERAGE EDGE	ASTM C 485 - 16	± 0.40 %	± 0.40 %									

The material meets compliance with the requirements of America standards ANSI A 137.1: June 2021, ANSI A326.3- 2021 and ASTM Section 15 Volume 15.02.

⁽¹⁾ All values given are for textured/natural/structured finish. Values for different finishes are available upon request.

⁽²⁾ Mohs result referring to textured/natural finish. For polished/semi-polished/silky finish: ≥ 6.

⁽³⁾ Chemical and stain resistance refer to textured/natural finish. For polished/silky finish tests are provided on request. For more detailed information, refer to ANSI A137.1 Specifications for Ceramic Tile.

⁽⁴⁾ DCOF results referring to textured/natural/structured products are performed with the WET test, while for polished, semi-polished and silky the DCOF test is performed DRY.

⁽⁵⁾ The DCOF values shown in the catalog, website, or other sales documents are for reference only and are non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, always prior to installation.

⁽⁶⁾ All values given are for textured/natural/structured finish. Values for different finishes are available upon request.

Product Certifications and Validations



Organizational Memberships



Rev.1, issued 01/01/2026


www.stonepeakceramics.com

CLASSIC BOUTIQUE


Technical Features: Visual Evaluation Shade & Texture

Visual Evaluation


V1




V2



V3



V4




TCNA rates tile color and texture variation on a scale up to V4, with V4 indicating the highest variation.

This porcelain tile is rated V2, meaning moderate variation in tone, primarily consistent with slight differences between tiles.

Recommended Grout Joint

Recommended grout joint is 3/16" or greater.

Grout joints of 1/8" inch or less, especially with larger format tiles or running bond patterns, may require floor flatness values in excess of the 1/4" in 10' (or 1/16" in 1.0') standard required by ANSI.



For patterns with running bond/brick joints, Stonepeak recommends a maximum of 33% offset.

Technical Features: Recommended Use

Visible Abrasion Resistance ratings are based on ASTM C1027-19 testing, which measures surface wear under abrasive load, combined with our manufacturer-declared results.

Class 1	Class 2	Class 3	Class 4
Residential Bathrooms	All Residential Areas	All Residential / Light Commercial	All Residential / Commercial
Regalia Nero	Alpine Verde	Delicato Bianco, Calacatta Bluette	Botticino Beige

Technical Features: DCOF - Wet Test

Norm

Standard

Stonepeak Result ⁽⁴⁾

ANSI A 326.3 - 2021

≥0.42

≥0.42 + Polished

Product Use Recommendation

Finish	Classification	Criteria
Natural, Polished	Interior Dry (ID)	≥ 0.42 dry DCOF
Natural	Interior Wet (IW)	≥ 0.42 wet DCOF

More information can be found at: (<https://tcnatile.com/resource-center/dynamic-coefficient-of-friction/>)