



ROBERT E. HENRY
TILE COMPANY
EST. 1933
HENRYTILE.COM

MOSAIC PATTERNS + BORDERS FOR ELEVATED SPACES












Dream It. Design It. Create It.

From vivid colors and on-trend shapes to unique patterns and bold borders, one simple design can turn your space into an incredible work of art. Colorbody Porcelain Mosaics give you the creative freedom to make your design dreams a reality.









MOSAIC BORDERS & PATTERNS

Mosaics enable you to create patterned or custom designs that complement any design theme. Borders, corners and plaids blend seamlessly to create intricate and unique spaces. You'll never run out of ideas.

This document provides hundreds of patterns and borders that are carefully selected for their broad design appeal. Patterns are organized by sizes:


-1 x 1 Standard Patterns
-2 x 2 Standard Patterns
-2 x 1 Standard Patterns
-Combination Patterns


-1 x 1 Hexagon Patterns
-2 x 2 Hexagon Patterns
-Penny Round Patterns
-Borders + Corners


-2 x 3 Harlequin Patterns
-2 x 3 Cube Patterns
-1.5 Hexagon Patterns


ROBERT E. HENRY TILE COMPANY EST. 1933


FIELD PATTERNS



DP2001 99% 1%



SP8101 99% 1%



SP8102 97% 3%



SP8103 94% 6%



SP8104 89% 11%



SP8105 75% 25%



SP8106 97% 3%



SP8107 94% 6%



SP8108 11% 89%



DP2010 92% 8%



SP8120 50% 50%



SP8122 50% 50%



SP8123* 50% 50%


SP8124 50% 50%


DP2015 50% 50%


SP8116 97% 3%



DP2020 93% 7%



DP2022 1% 97% 2%


*Offset sheet


ROBERT E. HENRY TILE COMPANY EST. 1933


FIELD PATTERNS



DP2023 1% 93% 6%



SP8111* 98% 2%



SP8113 86% 14%



DP2026 1% 97% 2%



SP8114 1% 98% 1%



SP8129 50% 25% 25%



SP8130 44% 44% 12%



DP2036 50% 6% 44%



DP2038 50% 50%



DP2040 6% 81% 13%



SP8119 89% 11%



DP2043 50% 46% 4%



DP2044 3% 83% 14%


DP2045 44% 44% 12%


DP2047 22% 39% 39%


DP2049 75% 25%



DP2050 6% 17% 71% 6%



DP2055 9% 33% 33% 25%


*Offset sheet


1 X 1 STANDARD PATTERNS
UNGLAZED MOSAICS


FIELD PATTERNS



SP8109* 2% 1% 97%



SP8110* 4% 96%



SP8112 3% 97%



SP8115* 3% 3% 94%



SP8117 14% 86%



SP8118 28% 72%



SP8121 50% 50%



SP8125 3% 3% 49%



SP8126* 12% 88%



SP8127 25% 75%



SP8128 14% 11% 75%



SP8131 50% 22% 28%



SP8132 33% 67%



SP8133 67% 22% 11%



SP8134 36% 20% 44%



SP8135 27% 19% 54%



SP8136 15% 85%


SP8137 28% 72%


SP8138 11% 8% 8% 73%



SP8139* 30% 22% 48%


SP8140* 28% 10% 62%



SP8141 31% 69%

*Offset sheet


FIELD PATTERNS



PENNY ROUND RETRO DOT ○ 93% ● 7%




PENNY ROUND ROSETTE ○ 83% ● 17%




PENNY ROUND DIAMOND ○ 47% ● 53%


FIELD PATTERNS




DB2501 ■ 17% □ 66% ■ 17%




DB2503 □ 75% ■ 25%




DB2504 ■ 4% □ 71% ■ 25%




DB2505 □ 65% ■ 35%




DB2507 □ 63% ■ 37%




DB2509 ■ 22% □ 56% ■ 22%




DB2510 ■ 17% □ 66% ■ 17%




DB2516 ■ 12% □ 64% ■ 24%




DB2518 ■ 4% ■ 12% □ 46% ■ 38%




DB2521 ■ 7% □ 60% ■ 33%




SB1115 ■ 58% □ 42%




SB1117 ■ 50% □ 50%




SB1118 ■ 17% ■ 25% □ 58%




SB1119 ■ 50% □ 50%




SB1120 ■ 44% □ 56%




SB1121 ■ 44% □ 56%




SB1122 ■ 46% □ 54%




SB1123 ■ 50% □ 50%




SB1124 ■ 45% □ 55%




SB1125 ■ 50% □ 50%



SB1126 ■ 29% ■ 19% □ 52%



SB1127 ■ 53% □ 47%




SB1128 ■ 58% □ 42%


*Offset sheet


1 X 1 STANDARD PATTERNS


UNGLAZED MOSAICS


FIELD PATTERNS



SB1116 CORNER ☐ 44% ■ 56%



SB1116 BORDER ☐ 50% ■ 50%



DB2530 CORNER ■ 37% ☐ 51% ■ 12%



DB2530 BORDER ■ 40% ☐ 53% ■ 7%



DB2531 CORNER ■ 31% ☐ 50% ■ 19%



DB2531 BORDER ■ 31% ☐ 50% ■ 19%



DB2532 CORNER ☐ 47% ■ 53%



DB2532 BORDER ☐ 37% ■ 63%



DB2535 CORNER ■ 11% ☐ 55% ■ 34%



DB2535 BORDER ■ 8% ☐ 67% ■ 25%



DB2536 CORNER ■ 11% ☐ 58% ■ 31%



DB2536 BORDER ■ 8% ☐ 67% ■ 25%



DB2525 CORNER ☐ 61% ■ 39%



DB2525 BORDER ☐ 58% ■ 42%



SB1101 ☐ 58% ■ 42%



DB2538 ■ 17% ☐ 50% ■ 33%



SB1104 ☐ 58% ■ 42%



SB1110 ■ 46% ☐ 54%



DB2541 ☐ 67% ■ 33%



SB1109 ■ 17% ☐ 37% ■ 46%



DB2545 ■ 5% ■ 17% ☐ 17% ■ 61%



SB1111 ■ 11% ■ 28% ■ 61%



SB1114 ☐ 46% ■ 54%



DB2547 ☐ 50% ■ 50%


DB2548 ■ 33% ☐ 11% ■ 56%



SB1112 ■ 50% ■ 50%



SB1102 ■ 50% 50%



SB1103 ■ 50% ☐ 50%


SB1105 ■ 58% ■ 42%


SB1113 ■ 39% ■ 39% ☐ 22%


SB1106 ■ 50% ■ 25% ☐ 25%


SB1107 ■ 50% ☐ 50%



SB1108 ■ 50% ☐ 50%


ROBERT E. HENRY TILE COMPANY EST. 1933


2 X 2 STANDARD PATTERNS


UNGLAZED + GLAZED MOSAICS


FIELD PATTERNS



DP3001 ☐ 99% ■ 1%



SP8201 ☐ 97% ■ 3%


SP8202 ☐ 6% ■ 94%


SP8203 ☐ 89% ■ 11%


SP8204 ☐ 92% ■ 8%


SP8205* ☐ 87% ■ 13%


SP8206 ☐ 75% ■ 25%

SP8207* ■ 12% ☐ 76% ■ 12%

SP8208 ☐ 50% ■ 50%

SP8209* ☐ 50% ■ 50%

SP8210 ☐ 50% ■ 50%

SP8211 ☐ 89% ■ 11%

SP8212 ☐ 78% ■ 22%

SP8213 ☐ 56% ■ 44%

SP8214 ☐ 75% ■ 25%


SP8215* ☐ 94% ■ 6%


SP8216 ☐ 89% ■ 11%


SP8217 ☐ 78% ■ 22%


ROBERT E. HENRY TILE COMPANY EST. 1933


FIELD PATTERNS



SP8218* 93% 7%



SP8219 72% 28%



SP8220* 93% 7%



SP8221 86% 14%



SP8222 78% 22%



SP8223 67% 33%



SP8224 78% 22%


SP8225 69% 28% 3%



DP3024 3% 83% 14%



DP3025 8% 75% 17%



DP3028 3% 17% 63% 17%



DP3032 44% 44% 12%


BORDER PATTERNS



SB1201 28% 11% 61%


SB1202 46% 54%


SB1203 33% 45% 22%



SB1204 50% 50%



SB1205 50% 50%



SB1206 50% 50%


*Offset sheet


FIELD PATTERNS



SB1207 42% 58%



SB1209 17% 33% 50%



SB1210 58% 42%



SB1211 34% 22% 44%



SB1212 37% 17% 46%



SB1213 33% 67%



SB1214 8% 59% 33%



DB3502 17% 50% 33%



DB3508 3% 14% 8% 58% 17%



SB1215 CORNER 47% 53%


SB1215 BORDER 50% 50%



DB3510 29% 42% 29%


DB3514 CORNER 28% 32% 40%



DB3514 BORDER 33% 34% 33%


DB3513 11% 64% 25%


FIELD PATTERNS




SP2603 67% 33%



SP2606 25% 25% 50%




SP2701 70% 15% 15%




D00021WIND 11% 89%


FIELD PATTERNS




DP5001 1% 1"x1" 98% 2"x2" 1% 1"x1"




DP5002 1% 1"x1" 98% 2"x2" 1% 1"x1"




DP5003 4% 1"x1" 95% 2"x2" 1% 1"x1"




DP5005 2% 1"x1" 76% 2"x2" 2% 1"x1"




DP5015 17% 1"x1" 83% 2"x2"




SP8301* 1% 1"x1" 98% 2"x2" 1% 1"x1"




SP8302 1% 1"x1" 98% 2"x2" 1% 1"x1"




SP8303 3% 1"x1" 94% 2"x2" 3% 1"x1"




SP8304 6% 1"x1" 88% 2"x2" 6% 1"x1"




SP8305 25% 1"x1" 50% 2"x2" 25% 1"x1"




SP8310* 1% 2"x2" 1% 1"x1" 98% 1"x1"




SP8311 3% 2"x2" 3% 1"x1" 94% 1"x1"




SP8312 6% 2"x2" 6% 1"x1" 88% 1"x1"



SP8313* 12% 2"x2" 12% 1"x1" 76% 1"x1"




SP8319 30% 2"x2" 70% 1"x1"




SP8320 44% 2"x2" 56% 1"x1"

*Offset sheet


FIELD PATTERNS




DP6003 1% 97% 2%




DP6004 96% 4%




DP6005 93% 7%




DP6009 3% 84% 13%




DP6015 50% 50%




DP6017 33% 33% 17% 17%




DP6019 50% 31% 19%




SP8401 88% 12%




SP8402 25% 75%




SP8403 12x18 Sheet 67% 33%




SP8404 12x18 Sheet 50% 50%




SP8405 50% 44% 6%




SP8406* 98% 2%




SP8407 95% 5%



SP8408* 94% 6%




SP8409 12x18 Sheet 42% 58%




SP8410 50% 50%


*Offset sheet




15HEX DOT 87% 13%



15HEX ROESETTE 82% 18%




15HEX FLOWER 33% 67%



15HEX RHOMBUS 38% 62%


BORDERS + CORNERS

If a Hexagon border is required, you must provide a plan of the area with dimensions, because the Hexagon configuration precludes interchanging sheets.




TO ALIGN PATTERN AT ADJUSTMENT EDGES, REMOVE 2 ROWS

HORIZONTAL BORDER




DB6501 BORDER (H) ☐ 87% ■ 13%

VERTICAL BORDER




DB6501 BORDER (V) ☐ 93% ■ 7%

LEFT CORNER



DB6501 CORNER (L) ☐ 87% ■ 13%


RIGHT CORNER




DB6501 CORNER (R) ☐ 87% ■ 13%

BORDERS + CORNERS


If a Hexagon border is required, you must provide a plan of the area with dimensions, because the Hexagon configuration precludes interchanging sheets.



TO ALIGN PATTERN AT ADJUSTMENT EDGES, REMOVE 3 ROWS, OR ADD 1 ROW TO LOOK LIKE THIS:




HORIZONTAL BORDER




DB6503 BORDER (H) ☐ 77% ■ 23%

VERTICAL BORDER




DB6503 BORDER (V) ☐ 89% ■ 11%

LEFT CORNER



DB6503 CORNER (L) ☐ 75% ■ 25%


RIGHT CORNER




DB6503 CORNER (R) ☐ 75% ■ 25%

BORDERS + CORNERS


If a Hexagon border is required, you must provide a plan of the area with dimensions, because the Hexagon configuration precludes interchanging sheets.



TO ALIGN PATTERN AT ADJUSTMENT EDGES, REMOVE 2 ROWS, OR ADD 2 ROWS TO LOOK LIKE THIS:




HORIZONTAL BORDER




DB6504 BORDER (H) ☐ 69% ■ 31%

VERTICAL BORDER




DB6504 BORDER (V) ☐ 81% ■ 19%

LEFT CORNER



DB6504 CORNER (L) ☐ 69% ■ 31%

RIGHT CORNER




DB6504 CORNER (R) ☐ 70% ■ 30%


ROBERT F. HENRY TILE COMPANY EST. 1933

BORDERS + CORNERS


If a Hexagon border is required, you must provide a plan of the area with dimensions, because the Hexagon configuration precludes interchanging sheets.



TO ALIGN PATTERN AT ADJUSTMENT EDGES, REMOVE 3 ROWS, OR ADD 1 ROW TO LOOK LIKE THIS:




HORIZONTAL BORDER




DB6505 BORDER (H) ☐ 77% ■ 2% ■ 21%

VERTICAL BORDER




DB6505 BORDER (V) ☐ 89% ■ 1% ■ 10%

LEFT CORNER



DB6505 CORNER (L) ☐ 79% ■ 2% ■ 19%

RIGHT CORNER




DB6505 CORNER (R) ☐ 79% ■ 2% ■ 19%


ROBERT F. HENRY TILE COMPANY EST. 1933

BORDERS + CORNERS


If a Hexagon border is required, you must provide a plan of the area with dimensions, because the Hexagon configuration precludes interchanging sheets.




TO ALIGN PATTERN AT VERTICAL ADJUSTMENT EDGES, REMOVE 5 ROWS, OR ADD ONE ROW TO LOOK LIKE THIS



TO ALIGN PATTERN AT HORIZONTIAL ADJUSTMENT EDGES, REMOVE 2 ROWS, OR ADD 2 ROWS TO LOOK LIKE THIS




HORIZONTAL BORDER




DB6507 BORDER ☐ 83% ■ 17%

VERTICAL BORDER




DB6507 BORDER (V) ☐ 92% ■ 8%

LEFT CORNER



DB6507 CORNER (L) ☐ 80% ■ 20%

RIGHT CORNER




DB6507 CORNER (R) ☐ 80% ■ 20%

1 X 1 HEXAGON PATTERNS UNGLAZED MOSAICS


BORDERS + CORNERS

If a Hexagon border is required, you must provide a plan of the area with dimensions, because the Hexagon configuration precludes interchanging sheets.




DB6509

HORIZONTAL BORDER




DB6509 BORDER (H) ☐ 50% ■ 17% ■ 33%

VERTICAL BORDER




DB6509 BORDER (V) ☐ 75% ■ 5% ■ 20%

LEFT CORNER



DB6509 CORNER (L) ☐ 50% ■ 15% ■ 35%


RIGHT CORNER




DB6509 CORNER (R) ☐ 50% ■ 15% ■ 35%

BORDERS + CORNERS


If a Hexagon border is required, you must provide a plan of the area with dimensions, because the Hexagon configuration precludes interchanging sheets.



TO ALIGN PATTERN AT ADJUSTMENT EDGES, REMOVE 2 ROWS, OR ADD 6 ROWS TO LOOK LIKE THIS:




HORIZONTAL BORDER




DB6510 BORDER (H) ☐ 37% ■ 43% ▢ 20%

VERTICAL BORDER




DB6510 BORDER (V) ☐ 72% ■ 21% ▢ 7%

LEFT CORNER



DB6510 CORNER (L) ☐ 38% ■ 42% ▢ 20%

RIGHT CORNER




DB6510 CORNER (R) ☐ 36% ■ 42% ▢ 22%

ROBERT F. HENRY TILE COMPANY EST. 1933


1 X 1 HEXAGON PATTERNS UNGLAZED MOSAICS

BORDERS + CORNERS


If a Hexagon border is required, you must provide a plan of the area with dimensions, because the Hexagon configuration precludes interchanging sheets.



TO ALIGN PATTERN AT ADJUSTMENT EDGES, EITHER REMOVE 3 ROWS OF TILE AT ADJUSTMENT EDGES, OR MANUALLY ADD 1 ROW LIKE THIS:




HORIZONTAL BORDER




DB6511 BORDER (H) ☐ 65% ■ 10% ▢ 25%

VERTICAL BORDER




DB6511 BORDER (V) ☐ 80% ■ 6% ▢ 14%

LEFT CORNER



DB6511 CORNER (L) ☐ 63% ■ 13% ▢ 24%

RIGHT CORNER




DB6511 CORNER (R) ☐ 63% ■ 13% ▢ 24%


ROBERT F. HENRY TILE COMPANY EST. 1933

BORDERS + CORNERS


If a Hexagon border is required, you must provide a plan of the area with dimensions, because the Hexagon configuration precludes interchanging sheets.



TO ALIGN PATTERN AT ADJUSTMENT EDGES, REMOVE 1 ROW, OR ADD 1 ROW TO LOOK LIKE THIS:




HORIZONTAL BORDER




SB1402 BORDER (H) ☐ 92% ■ 8%

VERTICAL BORDER




SB1402 BORDER (V) ☐ 95% ■ 5%

LEFT CORNER



SB1402 CORNER (L) ☐ 90% ■ 10%

RIGHT CORNER




SB1402 CORNER (R) ☐ 90% ■ 10%

ROBERT F. HENRY TILE COMPANY EST. 1933

1 X 1 HEXAGON PATTERNS UNGLAZED MOSAICS


BORDERS + CORNERS

If a Hexagon border is required, you must provide a plan of the area with dimensions, because the Hexagon configuration precludes interchanging sheets.




SB1402B

HORIZONTAL BORDER




SB1402B BORDERB (H) ☐ 92% ■ 8%

VERTICAL BORDER




SB1402B BORDER (V) ☐ 95% ■ 5%

LEFT CORNER



SB1402B CORNER (L) ☐ 90% ■ 10%

RIGHT CORNER




SB1402B CORNER (R) ☐ 89% ■ 11%

ROBERT F. HENRY TILE COMPANY EST. 1933


BORDERS + CORNERS

If a Hexagon border is required, you must provide a plan of the area with dimensions, because the Hexagon configuration precludes interchanging sheets.




TO ALIGN PATTERN AT ADJUSTMENT EDGES, REMOVE 2 ROWS

HORIZONTAL BORDER




SB1405 BORDER (H) ☐ 71% ■ 29%

VERTICAL BORDER




SB1405 BORDER (V) ☐ 82% ■ 18%

LEFT CORNER



SB1405 CORNER (L) ☐ 70% ■ 30%

RIGHT CORNER




SB1405 CORNER (R) ☐ 70% ■ 30%


1 X 1 HEXAGON PATTERNS UNGLAZED MOSAICS

BORDERS + CORNERS


If a Hexagon border is required, you must provide a plan of the area with dimensions, because the Hexagon configuration precludes interchanging sheets.



TO ALIGN PATTERN AT ADJUSTMENT EDGES, REMOVE 3 ROWS, OR ADD 1 ROW TO LOOK LIKE THIS:




HORIZONTAL BORDER




0000SB1404HMS1P ☐ 77% ■ 23%

VERTICAL BORDER




SB1404VMS1P ☐ 89% ■ 11%

LEFT CORNER





0000SB1404LMS1P ☐ 79% ■ 21%

RIGHT CORNER



0000SB1404RMS1P ☐ 79% ■ 21%







ROBERT E. HENRY
TILE COMPANY
EST. 1933

HENRYTILE.COM

TILE IS WHAT WE DO

To learn more, contact your Sales Rep,
or visit any of Our Five Tile Showrooms

MONTGOMERY
1008 Lagoon Business Loop

BIRMINGHAM
4500 1st Avenue North

HUNTSVILLE
4700 Commercial Drive

TUSCALOOSA
5310 Old Montgomery Hwy.

NASHVILLE
770 Melrose Place